

Routine Schedule

Age*	Vaccine	Primary Doses	Booster Dose
6 months– 4 years	Pfizer– Infant/Toddler	1st Dose → 3-8 weeks [^] → 2nd Dose → ≥8 weeks → 3rd Dose	
6 months– 5 years	Moderna– Infant/Toddler	1st Dose → 4-8 weeks [^] → 2nd Dose	
5–11 years	Pfizer– Pediatric	1st Dose → 3-8 weeks [^] → 2nd Dose	<p>Bivalent Booster</p> <p>Pfizer: Ages 5-11 Pfizer: Ages 12+</p> <p>Moderna: Ages 6+</p> <p>(For people who previously received a monovalent booster dose(s), the bivalent booster is administered at least 2 months after the last monovalent booster dose.)</p>
6–11 years	Moderna– Pediatric	1st Dose → 4-8 weeks [^] → 2nd Dose	
12+ years	Moderna– Adol/Adult	1st Dose → 4-8 weeks [^] → 2nd Dose	
12+ years	Pfizer/ Adol/Adult	1st Dose → 3-8 weeks [^] → 2nd Dose	
12+ years	Novavax	1st Dose → 3-8 weeks [^] → 2nd Dose	
18+ years	Janssen (J&J) Pfizer/Moderna preferred**	1st Dose	

* See schedules for children in transition from a younger to older age group: [Pfizer](#) | [Moderna](#).

** Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

[^] An [8-week interval](#) may be preferable for some people, especially for males 12-39 years.

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.

Schedule if Moderately or Severely Immunocompromised

Age*	Vaccine	Primary Doses	Booster Dose
6 months– 4 years	Pfizer– Infant/Toddler	1st Dose → 3 weeks → 2nd Dose → ≥8 weeks → 3rd Dose	<p>Bivalent Booster</p> <p>Pfizer: Ages 5-11 Pfizer: Ages 12+</p> <p>Moderna: Ages 6+</p> <p>(For people who previously received a monovalent booster dose(s), the bivalent booster is administered at least 2 months after the last monovalent booster dose.)</p>
6 months– 5 years	Moderna– Infant/Toddler	1st Dose → 4 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
5–11 years	Pfizer– Pediatric	1st Dose → 3 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
6–11 years	Moderna– Pediatric	1st Dose → 4 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
12+ years	Moderna– Adol/Adult	1st Dose → 4 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
12+ years	Pfizer/ Adol/Adult	1st Dose → 3 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
12+ years	Novavax	1st Dose → 3 weeks → 2nd Dose	
18+ years	Janssen (J&J) Pfizer/Moderna preferred**	1st Dose → 4 weeks → 2nd Dose of Moderna/ Pfizer	

* See schedules for children in transition from a younger to older age group: [Pfizer](#) | [Moderna](#).

** Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.